

JOEWELL[®]

PRODUCT GUIDE 2020



THE CUTTING EDGE TO YOUR CREATIVITY

Since our establishment in 1917, Tokosha have strived to ensure that our Joewell brand has remained synonymous with definitive quality, and expertly crafted scissors. The company is known for its passion in the pursuit to provide hairdressers worldwide the ultimate cutting tools that cater for the diverse needs of all our customers. Our master craftsmen use their extensive experience, and leading technology, to provide award winning design and hand finished scissors.

HISTORY

1917

Founding of Tokosha Co., Ltd.



1921

Start of manufacturing haircutting scissors



1975

Start of "Joewell" brand and overseas expansion



JOEWELL®

2017

100th anniversary



Toyosaku Inoue, the founder of the company was born in 1894 in Tanushimaru, Kurume city, Fukuoka, Japan. The company was established in 1917 under the name TOKOSHA Company in Tokyo, originally manufacturing medical cutting tools at the time of the start-up. Manufacturing scissors for barbers was started in 1921. As this year was the year of the Rooster, the company took the Rooster as its trademark, establishing its position as a maker of scissors for barbers.

At the time, Japanese barbers were known to be professionals and paid great attention to the scissors as their primary tool to deliver performance. Our preparation and effort to meet this market requirement was the driving factor which led our company to export our products overseas, and to be considered as one of the top brands of the world.

The JOEWELL brand was established in 1975 as the premium scissor manufacturer to the beauty salons. Through exporting our products overseas, it quickly positioned itself as the number one brand in Japan. The start of our business overseas in countries such as the United-States, Europe, and Asia taught us to develop products which were specially designed to meet individual market needs. With a product line of over 200 models, JOEWELL is a brand loved by hair stylists around the world.

HANDMADE IN JAPAN

Iwate Factory in Japan

Our pride is our factory equipped with our state of the art equipment which is the largest of its kind dedicated to manufacturing hair cutting scissors in Japan. Our objective to increase customer satisfaction with our new product starts with the review of the design, calculation process, setting standard requirements for our manufacturing line through to our quality control process, all with the goal to provide the best suited, best product for the customer.

Computer Control & Handmade


Our use of computer generated models to control our manufacturing process allows us to refine the blade and combine the faces to minimize precision deviation. The final touch in our manufacturing process to combine the blades is done by hand through experienced and skilled craftsmen.

Research & Development

Our products are the end results of numerous monitoring of hair stylists, in depth research of their needs coupled with review of the basic elements which led to the creation of the development and research group today. To ensure our customers are satisfied and willing to purchase our products, the Research and Development group reviews the data in an objective and unbiased process to develop an evaluation standard which will meet the most demanding customer requirement in the market.



Factory in Iwate, Japan




























































































RECORD OF AWARDS

- 2019 Red Dot Award 2019 (Joewell SPM BT)
- 2018 iF Gold Award 2018 (Joewell SPM)
- 2017 Good Design Award 2017 (Joewell Classic)
- 2015 Japan Society for Design Engineering Essay Prize 2014 "Study of Sandwiching process of precision scissors for hair-cutting or surgical use." (President Kenji Inoue)
- 2015 "The Wonder 500" by Japan's Ministry of Economy, Trade and Industry (Joewell FCX)
- 2013 "Medal with a Yellow Ribbon" by Government of Japan (Craftsman Hiroshi Kudara)
- 2011 "Contemporary Master Craftsman" by Ministry of Health, Labour and Welfare (Craftsman Hiroshi Kudara)
- 2009 "Prominent Craftsmen" by Iwate Prefecture (Craftsman Hiroshi Kudara)
- 2009 Good Design Award 2009 (Joewell Forme Ward)
- 2007 Good Design Award 2007 (Joewell FX-PRO)
- 2007 "300 of Japan's Vibrant Monodzukuri (Manufacturing) SMEs" by Japan's Ministry of Economy, Trade and Industry







PRODUCT LIST

Page	Series	Item	Size	Blade/Cut Ratio	Finger Hole	Coating & Material of Handle
10	Supreme SPM	Supreme SPM-50 	5.0	Sword & Flat	M	Nickel-less*
		Supreme SPM-55 	5.5	Sword & Flat	M	
		Supreme SPM-60 	6.0	Sword & Flat	M	
11		Supreme SPM-55BT  	5.5	Sword & Flat	M	Black Titanium + Nickel-less*
		Supreme SPM-60BT  	6.0	Sword & Flat	M	
12	Supreme SPM Symmetric	Supreme SPM-500S 	5.0	Sword & Convex	R	Nickel-less*
		Supreme SPM-550S 	5.5	Sword & Convex	R	
		Supreme SPM-600S 	6.0	Sword & Convex	R	
13	Supreme	Supreme SCC-5700F 	5.7	Convex PRO	S	Regular**
		Supreme SCC-6000F 	6.0	Convex PRO	S	
14	New Cobalt (Black Cobalt)	NC-4.5 	4.5	Standard	R	Black + Nickel-less*
		NC-5 	5.0	Standard	R	
		NC-5.5 	5.5	Standard	R	
		NC-6 	6.0	Standard	R	
		NC-5.5F 	5.5	Standard	S	
		NC-6F 	6.0	Standard	S	
15	Cobalt	Cobalt 4500 	4.5	Standard	R	Nickel-less*
		Cobalt 5000 	5.0	Standard	R	
		Cobalt 5500 	5.5	Standard	R	
16	Black Crest	Joewell BC-50F 	5.0	Sword & Convex	R	Titanium & Rubber
		Joewell BC-55F 	5.5	Sword & Convex	R	
		Joewell BC-60F 	6.0	Sword & Convex	R	
		Joewell BC-40 	40T	35%	R	
17	ZN	Joewell ZN-500 	5.0	Sword & Convex	M	Nickel-less*
		Joewell ZN-550 	5.5	Sword & Convex	M	
		Joewell ZN-600 	6.0	Sword & Convex	M	
19	FX-PRO	Joewell FX-PRO 50 	5.0	Sword & Flat	R	Nickel-less*
		Joewell FX-PRO 55 	5.5	Sword & Flat	R	
		Joewell FX-PRO 60 	6.0	Sword & Flat	R	
20		Joewell FX-PRO 50PG 	5.0	Sword & Flat	R	Pink Gold + Nickel-less*
		Joewell FX-PRO 55PG 	5.5	Sword & Flat	R	
		Joewell FX-PRO 60PG 	6.0	Sword & Flat	R	
		Joewell FX-PRO BT50 	5.0	Sword & Flat	R	Black Titanium + Nickel-less*
		Joewell FX-PRO BT55 	5.5	Sword & Flat	R	
		Joewell FX-PRO BT60 	6.0	Sword & Flat	R	
21	AR	Joewell AR50  	5.5	Sword & Convex	R	Nickel-less*
		Joewell AR55  	6.0	Sword & Convex	R	
	C	Joewell C-550 	5.5	Standard	R	Nickel-less*
		Joewell C-600 	6.0	Standard	R	
22	TR	Joewell TR-525 	5.25	Convex Shape	R	Titanium & Rubber + Nickel-less*
		Joewell TR-575 	5.75	Convex Shape	R	
		Joewell TR-55C 	5.5	Convex Shape	S	Titanium & Rubber
		Joewell TR-60C 	6.0	Convex Shape	S	

Page	Series	Item	Size	Blade/Cut Ratio	Finger Hole	Coating & Material of Handle
23	FX	Joewell FX-55 	5.5	Standard	R	Nickel-less*
		Joewell FX-60 	6.0	Standard	R	
24	C-ONE	Joewell C-ONE 50 	5.0	Standard	R	Nickel-less*
		Joewell C-ONE 55 	5.5	Standard	R	
		Joewell C-ONE 60 	6.0	Standard	R	
25	JKX	Joewell JKX-650 	6.5	Sword & Convex	S	Regular**
	FZ	Joewell FZ-70 	7.0	Convex Shape	S-M	Regular**
26	Classic PRO	Joewell Classic PRO 450 	4.5	Convex Shape	R	Nickel-less*
		Joewell Classic PRO 500 	5.0	Convex Shape	R	
		Joewell Classic PRO 550 	5.5	Convex Shape	R	
		Joewell Classic PRO 600 	6.0	Convex Shape	R	
27	Classic	Joewell 45 	4.5	Standard	R	Nickel-less*
		Joewell 50 	5.0	Standard	R	
		Joewell 55 	5.5	Standard	R	
		Joewell 60 	6.0	Standard	R	
		Joewell 65 	6.5	Standard	R	
		Joewell 70 	7.0	Standard	R	
28	Craft	Craft CR-610 	6.1	KATANA	S	Regular**
		Craft CR-630 	6.3	KATANA	S	
29	ZII	Joewell ZII-55CX 	5.5	Convex Shape	S	Regular**
		Joewell ZII-60CX 	6.0	Convex Shape	S	
	Z	Joewell Z-55C 	5.5	Standard	S	Regular**
		Joewell Z-60C 	6.0	Standard	S	
30	SDB	Joewell SDB-58R 	5.8	Curved Bamboo Leaf	R	Regular**
		Joewell SDB-60R 	6.0	Curved Bamboo Leaf	R	
	JDB	Joewell JDB-610F  	6.2	Bamboo Leaf	S	Regular**
31	FX-L	Joewell FX-L55 	5.5	Standard	R	Regular**
	LC	Joewell F LC-50 	5.0	Standard	R	Regular**
		Joewell F LC-55 	5.5	Standard	R	
32	LSF	Joewell LSF-65 	6.5	Convex Shape	M	Regular**
		Joewell LSF-70 	7.0	Convex Shape	M	
34	E	Joewell E-30 	30T	15%	R	Nickel-less*
		Joewell E-40 	40T	35%	R	
	HXT	Joewell HXT-30 	30T	15%	R	Nickel-less*
		Joewell HXT-40 	40T	35%	R	
35	SNT	Supreme SNT-40 	40T	less than 5%	S	Regular**
36 37	HXG	Joewell HXG-20 	20T	15-20%	R	Nickel-less*
		Joewell HXG-17 	17T	25-30%	R	
		Joewell HXG-14 	14T	40-50%	R	
38 39	JGC	Joewell JGC-24 	24T	10-15%	S	Regular**
		Joewell JGC-12 	12T	80%	S	

Material of Blade

-  Powder Metal Alloy
-  Cobalt Base Alloy CBA-1
-  Super Alloy
-  Stainless Alloy

Finger Hole

- R = Regular
- M = Medium
- S = Small

Nickel Contents of Handle


- *Nickel-less: less than 0.6%, **Regular: about 5%
- Coating: less than 0.6%, Removable Finger Rest: less than 0.6%

Specification of scissors

JOEWELL delivers products, which better match customer needs for more precise and consistent quality by using a uniform system from design consideration during new product development to standardization and quality control in the manufacturing process.

1. Size of scissors

The size of scissors is usually indicated in inches. The short ones are 4.5 inches, and long ones are up to about 7 inches. The indication in inches is not the length of the blade but the length from the blade edge to finger ring. Size is selected depending on the cut techniques, and popular sizes differ between countries and regions. Shorter scissors are more suitable for detailed work, and longer scissors are more suitable for powerful work. Cutting accurately in a straight line is the basic of the blunt cut and, therefore, the 5-inch to 6-inch size is the mainstream. The characteristics of long scissors enable efficient work because more hair can be cut at one time, and higher flexibility can be achieved depending on the method of use.



Length of Scissors

4 1/2" (shorter) ~ 7" (longer)

more suitable for detailed work ~ more suitable for powerful work

2. Material

1) Material for the blade

Material for blade is one of the most important elements in the quality of scissors.

To achieve a better edge and durability, JOEWELL uses the following original blade materials.

a. Super Alloy

SUPER ALLOY


Top quality special alloys born through the pursuit of ultra-fine composition. This material was developed from the long-term experience in manufacturing techniques and the accumulation of user comments and is suitable for hairdressing scissors. It has the best edge sharpness and durability.

b. Cobalt Base Alloy

COBALT


Based on the scarce metal cobalt, it includes chrome, tungsten, and carbon. Cobalt base alloys do not require heat treatment as the material already has hardness, which is suitable for blades. The other characteristics include chemical-resistance and rust-resistance. JOEWELL uses CBA1, which has higher hardness and longer life, and is suitable for dry hair, and CBA12, which has lower hardness and the characteristic of soft cutting.

Compared to cobalt base alloys, stainless has greater hardness but cobalt has higher wear resistance. Therefore, looking at all the elements, a cobalt base alloy has a longer life. Stainless requires heat treatment but cobalt does not. Cobalt is not magnetic; therefore, you can determine whether it is a cobalt base alloy or stainless (stainless including cobalt) by placing a magnet over the blade. Some products claiming to be cobalt are actually stainless. By placing a magnet over the blade, the material can be distinguished from a cobalt base alloy or stainless.



COBALT Base Alloy is not Magnetic!

Latest heat treatment techniques




Heat treatment is applied to stainless blade materials except for cobalt base alloys. A computer-controlled, full automatic vacuum heat treatment method is adopted. It can maximize the quality of the material and achieve consistent heat treatment. JOEWELL

manufactures its products at the highest level of hardness that is practically possible, and the hardness is 15% higher than the general hardness of most of competitors' products. It produces the best edge and durability.


c. Powder Metal Alloy

Powder Metal

In the usual manufacturing process of steel materials, the metal structure becomes uneven. This is because ingredients melted at high temperatures create a rough carbide. In order to solve this matter a new manufacturing process was developed, this is called 'Powder Metallurgy Processing'. In this process steel materials are baked in powder form, and the metal structure is no longer rough, but becomes smooth and fine. This means Powder Metal Alloy provides, a greater hardness and strength, excellent wear resistance, and excellent corrosion resistance.



Powder Metal Alloy



Regular Blade Material

d. Stainless Alloy

STAINLESS ALLOY

Stainless steel for high-grade cutting tools.

2) Material for the handle

JOEWELL is also concerned about the handle material. We use nickel-less (0.6% or less) stainless in most of our products to ensure against metal (nickel) allergies. The countermeasure against nickel allergies is specially demanded in Europe so most of JOEWELL products in Europe are nickel allergy resistant. Also, because of the hard material used, the handle is difficult to be deformed (scissors do not easily go out of tune), and its face is difficult to get scratched. Please see details of nickel contents on Page 19.

3. Design of the handle

Please select the most suitable handle shape depending on hand size, experience, and cut techniques.

1) Symmetric Handle

The symmetry of the handle design is widely appreciated as the basic style for beauty salons. Symmetric design makes it possible to use both sides of the scissors or to change the way the scissors are held for a greater degree of freedom.



Design of Handle

Symmetric ~ Offset

Free to use for any haircutting technique


Easy to use for the ordinary blunt cut

2) Offset Handle

The length of the handle grip differs between still blade and moving blade. Offset handles easily fit the hand so the wrist, elbow, and shoulder do not tire easily when opening or closing the scissors. It is especially easy and popular for the ordinary blunt cut. Another name for this is the ergonomic handle. Various angles and designs are available in offset types so please select according to your preference.

3) The size of the finger hole

Regular, Medium and Small sizes are available. A finger ring can be attached to reduce the size of finger hole.



4. Blade shape

1) Blade setting

The convex blade is sharp for softer cutting while the flat (single bevel blade) is superior for lightweight durability because the whole blade can be designed flat. Tokosha scissors are available in four blade shapes.

a. The Standard JOEWELL Blade Flat Single Bevel Blade

This is the most popular, easy to use, and JOEWELL world standard original blade. Because this is a flat blade and the blade body is light, a tilting cut is possible. Other characteristics include a flat face that fits the hair and comb face.




b. Convex Blade

Convex Pro Blade

In pursuit of sharp, smooth cutting, this has the sharpest blade angle and setting. Final finishing is manually done by craftsman to achieve an artistic cutting. Because the cross section of the blade shape is large, it is powerful. Because the point of the blade is smaller than a hair, hairs will not fly about.


Convex Shape Blade

The Convex Shape Blade was developed by implementing the latest technology on top of the advantage of the convex blade. It maintains soft, sharp cutting and is suitable for anyone.



c. Sword Shape Blade

This type is a sword shape. The power is delivered to the point of the blade with this design.



d. Concave Blade

The new Concave blade with a keen edges achieves a sharp cutting performance.




2) Width of blade

Various blade widths are available. With the wider blade, it is more powerful for cutting hair, and the cut is light. Those with a thin blade point are suitable for detailed work.

3) Blade lines

Various blade lines are available from straight to curved. Generally, the straighter blade is called a straight blade, the ordinary one is called a willow blade, and the curved one is called a bamboo leaf blade. JOEWELL designs blade lines according to the characteristic of each item. The straighter the blade, the easier it is to hold hair for cutting without having the hair slide. The bigger the curve, the greater the amount of hair that will slide when cutting for a smooth, soft cut. The bamboo leaf blade type, which has the biggest curve, is suitable for slide cuts and slicing.



5. Screw on the scissors

Flat screws will not hinder cutting because it has no bulge. Adjustable screws can easily be adjusted to suit your preference.


1) Precision Flat Screw

This is an ultra-precise NC manufacturing screw with little looseness. Because this screw is flat, it does not hinder the comb when cutting and can be adjusted with a coin (with 1.7 mm or less thickness).



2) Thin Adjustable Screw

The fine screw thread in the 0.35mm size makes fine tuning possible, and the locking and tension functions prevent loosening. By embedding a part of the screw, a more compact design was achieved.



3) Dry Bearing Screw System

The dry bearing screw system is applied at the screw part to pursue smooth opening/closing operation. The solid lubricated pivot point contact and the dry bearing are made of resin. The features are light, smooth opening/closing operation, maintenance free, lightweight, and thin body.




6. Removable Finger Rest

This is finger rest with washer, which does not easily come off, is removable and easy to use. Fitness to fingers was taken into consideration in the design.



7. Serial Number

Each product has unique serial number, which is utilized for quality control and after-sales service management.





JOEWELL SUPREME SPM



Joewell SPM Series - Winner of iF Gold Award 2018

Joewell SPM series has won the top distinction in iF Design Award, the iF Gold Award. From over 6,400 submissions, only 75 were awarded the gold by the independent expert iF jury.


Jury statement:

“Perfect at every level, this series of professional haircutting scissors exceed even the highest expectations. Nice to look at, the tactile experience is unparalleled. Metal surface, shape, and rubber areas do a perfect job to fit one's fingers at every working angle – and finally the blade movement is extremely smooth.”


Powder Metal Alloy

Powder Metal

In the usual manufacturing process of steel materials, the metal structure becomes uneven. This is because ingredients melted at high temperatures create a rough carbide. In order to solve this matter a new manufacturing process was developed, this is called 'Powder Metallurgy Processing'. In this process steel materials are baked in powder form, and the metal structure is no longer rough, but becomes smooth and fine. This means Powder Metal Alloy provides;



Powder Metal Alloy





Regular Blade Material

- **A greater hardness and strength = Soft cutting quality. The edge is not easily nicked.**
- **Excellent wear resistance = Longer cutting life. Less necessity of re-sharpening.**
- **Excellent corrosion resistance.**
- **Impact Strength - 12X**
- **Wear Resistance - 2X**

Impact strength is 12 times larger than Cobalt Base Alloy CBA-1* = Blade is not easily broken, and the edge is not easily nicked.

Wear resistance is more than 2 times larger than Super Alloy* = Expected durability is more than 2 times higher than Super Alloy.



*These data were proved by in-company product tests.


3D Ergonomic Handle

3D handle fits to your hand completely. Mat surface finish provides touching comfort and non-slip effect. Finger rest covered with silicone rubber provides better grip feeling and stability when holding scissors.

Finger Rest Covered with Silicone Rubber



New Handle



Regular Handle

Ergonomic handle for a natural movement of a thumb, fingers, and an elbow. Easy to hold scissors in a comfortable position with little burden on a hand and an elbow.



SUPREME SPM

Powder Metal



Powder Metal Alloy & 3D ergonomic handle. Winner of iF Gold Award 2018.



Supreme SPM-50

Size: 5.0" Blade: 48 mm Weight: 42.0g
Size of Finger Hole: Medium
Sword & Flat Blade
Powder Metal Alloy
Dry Bearing Screw System
Permanent Finger Rest Covered with Silicone Rubber



Supreme SPM-55

Size: 5.5" Blade: 62 mm Weight: 45.0g
Size of Finger Hole: Medium
Sword & Flat Blade
Powder Metal Alloy
Dry Bearing Screw System
Permanent Finger Rest Covered with Silicone Rubber



Supreme SPM-60

Size: 6.0" Blade: 71 mm Weight: 48.0g
Size of Finger Hole: Medium
Sword & Flat Blade
Powder Metal Alloy
Dry Bearing Screw System
Permanent Finger Rest Covered with Silicone Rubber



SUPREME SPM BT

Powder Metal



Powder Metal Alloy & 3D ergonomic handle. Black Titanium Coating.
Winner of Red Dot Award 2019.

reddot award 2019
winner



Supreme SPM-55BT **NEW**

Size: 5.5" Blade: 62 mm Weight: 45.0g
Size of Finger Hole: Medium
Sword & Flat Blade
Powder Metal Alloy
Dry Bearing Screw System
Permanent Finger Rest Covered with Silicone Rubber
Black Titanium Coating



Supreme SPM-60BT **NEW**

Size: 6.0" Blade: 71 mm Weight: 48.0g
Size of Finger Hole: Medium
Sword & Flat Blade
Powder Metal Alloy
Dry Bearing Screw System
Permanent Finger Rest Covered with Silicone Rubber
Black Titanium Coating



SUPREME SPM SYMMETRIC HANDLE

Powder Metal

Powder Metal Alloy & Symmetric handle.



Supreme SPM-500S

Size: 5.0" Blade: 56 mm Weight: 36.0g
Size of Finger Hole: Regular (L)
Sword & Convex Blade
Powder Metal Alloy
Dry Bearing Screw System
Removable Finger Rest



Supreme SPM-550S

Size: 5.5" Blade: 63 mm Weight: 42.0g
Size of Finger Hole: Regular (L)
Sword & Convex Blade
Powder Metal Alloy
Dry Bearing Screw System
Removable Finger Rest



Supreme SPM-600S

Size: 6.0" Blade: 72 mm Weight: 46.0g
Size of Finger Hole: Regular (L)
Sword & Convex Blade
Powder Metal Alloy
Dry Bearing Screw System
Removable Finger Rest



SUPREME CONVEX

COBALT



Convex blade and Cobalt Base Alloy CBA-1 provide excellent durability and soft cutting quality.



Supreme SCC-5700F

Size: 5.7" Blade: 57mm Weight: 49.5g
Size of Finger Hole: Small
Convex PRO Blade
Cobalt Base Alloy CBA-1
Dry Bearing Screw System
Permanent Finger Rest
Hard Titanium Coated Handle



Supreme SCC-6000F

Size: 6.0" Blade: 64mm Weight: 52.0g
Size of Finger Hole: Small
Convex PRO Blade
Cobalt Base Alloy CBA-1
Dry Bearing Screw System
Permanent Finger Rest
Hard Titanium Coated Handle

Cobalt Base Alloy CBA-1

COBALT

The cobalt base alloy CBA-1, of which more than 2.5 times durability has been proven, is applied for the blade material. Since its containing ratio is about 50%, it is very hard and has superior wear resistance.



NEW COBALT (BLACK COBALT)



Black Cobalt favored by top artist around the world. Straight, thin, and narrow blade enables detailed works. Cobalt Base Alloy CBA-1 provides excellent durability.

NC-4.5

Size: 4.5" Blade: 40mm Weight: 27.5g
Size of Finger Hole: Regular (L)
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Removable Finger Rest
Black Coating



NC-5

Size: 5.0" Blade: 51mm Weight: 32.0g
Size of Finger Hole: Regular (L)
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Removable Finger Rest
Black Coating



NC-5.5

Size: 5.5" Blade: 53mm Weight: 36.5g
Size of Finger Hole: Regular (L)
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Removable Finger Rest
Black Coating



NC-5.5F (offset)

Size: 5.5" Blade: 52mm Weight: 34.5g
Size of Finger Hole: Small
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Permanent Finger Rest
Black Coating



NC-6F (offset)

Size: 6.0" Blade: 65mm Weight: 44.0g
Size of Finger Hole: Small
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Permanent Finger Rest
Black Coating



NC-6

Size: 6.0" Blade: 64mm Weight: 40.5g
Size of Finger Hole: Regular (L)
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Removable Finger Rest
Black Coating





COBALT



Longer cutting life achieved by Cobalt Base Alloy. Cobalt series is a best seller around the world since its debut in 1977.



Cobalt 4500

Size: 4.5" Blade: 40mm Weight: 28.0g
Size of Finger Hole: Regular (L)
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Removable Finger Rest



Cobalt 5000

Size: 5.0" Blade: 51mm Weight: 32.5g
Size of Finger Hole: Regular (L)
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Removable Finger Rest



Cobalt 5500

Size: 5.5" Blade: 53mm Weight: 37.0g
Size of Finger Hole: Regular (L)
The standard JOEWELL blade
Cobalt Base Alloy CBA-1
Precision Flat Screw
Removable Finger Rest



BLACK CREST

SUPER ALLOY

Ergonomic handle & Black rubber coated handle.



Joewell BC-50F

Size: 5.0" Blade: 48mm Weight: 45.3g
Size of Finger Hole: Regular (L)
Sword & Convex Blade
Supreme Stainless Alloy,
Dry Bearing Screw System with Silver Screw Cover,
Removable Finger Rest
Black Titanium & Rubber Coated Handle



Joewell BC-55F

Size: 5.5" Blade: 55mm Weight: 48.5g
Size of Finger Hole: Regular (L)
Sword & Convex Blade
Supreme Stainless Alloy,
Dry Bearing Screw System with Silver Screw Cover,
Removable Finger Rest
Black Titanium & Rubber Coated Handle

Joewell BC-60F

Size: 6.0" Blade: 64mm Weight: 50.0g
Size of Finger Hole: Regular (L)
Sword & Convex Blade
Supreme Stainless Alloy,
Dry Bearing Screw System with Silver Screw Cover,
Removable Finger Rest
Black Titanium & Rubber Coated Handle



Joewell BC-40

40-tooth, Cut ratio: 35%
Size: 5.9" Blade: 61mm Weight: 50.0g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy,
Dry Bearing Screw System with Silver Screw Cover,
Removable Finger Rest
Black Titanium & Rubber Coated Handle

Cut Ratio
35%



ZN

SUPER ALLOY

Ergonomic handle & Short permanent finger rest.



Joewell ZN-500

Size: 5.0" Blade: 48mm Weight: 41.0g
Size of Finger Hole: Medium
Sword Blade x Convex Shape Blade
Supreme Stainless Alloy
Dry Bearing Screw System with
Anti Scratch Diamond Like Coating on
Screw Cover
Permanent Short Length Finger Rest



Joewell ZN-550

Size: 5.5" Blade: 55mm Weight: 43.5g
Size of Finger Hole: Medium
Sword Blade x Convex Shape Blade
Supreme Stainless Alloy
Dry Bearing Screw System with
Anti Scratch Diamond Like Coating on
Screw Cover
Permanent Short Length Finger Rest



Joewell ZN-600

Size: 6.0" Blade: 65mm Weight: 47.0g
Size of Finger Hole: Medium
Sword Blade x Convex Shape Blade
Supreme Stainless Alloy
Dry Bearing Screw System with
Anti Scratch Diamond Like Coating on
Screw Cover
Permanent Short Length Finger Rest

FX-PRO SERIES

FX 3D handle is designed for a natural movement of a thumb, fingers, and an elbow.



Color



Regular



Pink Gold



Black
& Skull



Pink Gold
& Skull

Sword & Flat Blade

The back side is Flat blade and the top side is Sowrd blade.
It enables accurate and stable operation becuase the flat blade fits the comb face and hair panel.



Dry Bearing Screw System

All light and smooth action is provided by the Dry Bearing Screw System.



FX-PRO

SUPER ALLOY



Joewell FX-PRO 50

Size: 5.0" Blade: 47mm Weight: 42.5g Size of Finger Hole: Regular (L)
Sword & Flat Blade, Supreme Stainless Alloy,
Dry Bearing Screw System, Removable Finger Rest



Joewell FX-PRO 55

Size: 5.5" Blade: 54mm Weight: 44.0g Size of Finger Hole: Regular (L)
Sword & Flat Blade, Supreme Stainless Alloy,
Dry Bearing Screw System, Removable Finger Rest



Joewell FX-PRO 60

Size: 6.0" Blade: 63mm Weight: 46.5g Size of Finger Hole: Regular (L)
Sword & Flat Blade, Supreme Stainless Alloy,
Dry Bearing Screw System, Removable Finger Rest





FX-PRO PINK GOLD

SUPER ALLOY



FX-PRO 55PG

Joewell FX-PRO 50PG Size: 5.0"

Joewell FX-PRO 55PG Size: 5.5"

Joewell FX-PRO 60PG Size: 6.0"



Skull cover is selectable.



FX-PRO BT (BLACK TITANIUM)

SUPER ALLOY



FX-PRO BT55

Joewell FX-PRO BT50 Size: 5.0"

Joewell FX-PRO BT55 Size: 5.5"

Joewell FX-PRO BT60 Size: 6.0"



FX-PRO THINNING

SUPER ALLOY



Joewell FX-PRO 40

40-tooth, Cut Ratio: 35%
Size: 6.0" Blade: 61mm Weight: 47.8g Size of Finger Hole: Regular (L)
Sword & Flat Blade, Supreme Stainless Alloy,
Dry Bearing Screw System, Removable Finger Rest

Cut Ratio
35%



AR

SUPER ALLOY

“Art nouveau” style ergonomic handle.



AR-60

Joewell AR-55 **NEW**

Size: 5.5" Blade: 55mm
Size of Finger Hole: Regular (L)
The standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Permanent Finger Rest

Joewell AR-60 **NEW**

Size: 6.0" Blade: 64mm
Size of Finger Hole: Regular (L)
The standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Permanent Finger Rest

This picture is a sample and may be different from actual products.



C

SUPER ALLOY

Ergonomic handle with permanent finger rest.



Joewell C-550

Size: 5.5" Blade: 56mm Weight: 45.0g
Size of Finger Hole: Regular (L)
The standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Permanent Finger Rest



Joewell C-600

Size: 6.0" Blade: 65mm Weight: 48.0g
Size of Finger Hole: Regular (L)
The standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Permanent Finger Rest



TR

SUPER ALLOY

Blue titanium and rubber coated handle provides better grip feeling and stability when holding scissors.



Joewell TR-525

Size: 5.25" Blade: 49mm Weight: 38.5g
Size of Finger Hole: Regular (L)
Convex Shape Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest
Blue Titanium & Rubber Coated Handle

Joewell TR-575

Size: 5.75" Blade: 59mm Weight: 41.0g
Size of Finger Hole: Regular (L)
Convex Shape Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest
Blue Titanium & Rubber Coated Handle



Titanium & Rubber Coated Handle

Titanium and a rubber coating are applied to the handle. The characteristics are a soft touch, which cannot be achieved with metal, and a non-slip surface. Handles are coated with rubber this makes them smooth to the touch. And as there is no nickel in coating; it is ideal for hairdressers that sometimes suffer allergic reactions.



Joewell TR-55C

Size: 5.5" Blade: 56mm Weight: 42.0g
Size of Finger Hole: Small
Convex Shape Blade
Supreme Stainless Alloy
Thin Adjustable Screw
Removable Finger Rest
Blue Titanium & Rubber Coated Handle



Joewell TR-60C

Size: 6.0" Blade: 65mm Weight: 44.5g
Size of Finger Hole: Small
Convex Shape Blade
Supreme Stainless Alloy
Thin Adjustable Screw
Removable Finger Rest
Blue Titanium & Rubber Coated Handle



FX

SUPER ALLOY

FX 3D handle is designed for a natural movement of a thumb, fingers, and an elbow.



Joewell FX-55

Size: 5.5" Blade: 55mm Weight: 45.0g Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade, Supreme Stainless Alloy,
Thin Adjustable Screw, Removable Finger Rest



Joewell FX-60

Size: 6.0" Blade: 64mm Weight: 47.0g Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade, Supreme Stainless Alloy,
Thin Adjustable Screw, Removable Finger Rest





C-ONE

SUPER ALLOY

Joewell's standard model of offset handle. Easy to hold scissors in a comfortable position with little burden on a hand and an elbow.



Joewell C-ONE 50

Size: 5.0" Blade: 50mm Weight: 39.5g Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade, Supreme Stainless Alloy,
Precision Flat Screw, Removable Finger Rest



Joewell C-ONE 55

Size: 5.5" Blade: 54mm Weight: 43.0g Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade, Supreme Stainless Alloy,
Precision Flat Screw, Removable Finger Rest



Joewell C-ONE 60

Size: 6.0" Blade: 63mm Weight: 46.5g Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade, Supreme Stainless Alloy,
Precision Flat Screw, Removable Finger Rest



JKX

SUPER ALLOY

Long scissors with powerful sword blades. Dry Bearing System enables smooth opening and closing actions.



Joewell JKX-650

Size: 6.5" Blade: 79mm Weight: 53.0g
Size of Finger Hole: Small
Sword & Convex Blade
Supreme Stainless Alloy,
Dry Bearing Screw System,
Permanent Finger Rest



FZ

SUPER ALLOY

Joewell's long scissors in 7.0".



Joewell FZ-70

Size: 7.0" Blade: 84mm Weight: 63.0g
Size of Finger Hole: Small-Medium
Convex Shape Blade
Supreme Stainless Alloy
Thin Adjustable Screw
Permanent Finger Rest



CLASSIC PRO

SUPER ALLOY

Lightweight & Smooth action. Thin and narrow blade enables detailed works.



Joewell Classic PRO 450

Size: 4.5" Blade: 43mm Weight: 23.0g
Size of Finger Hole: Regular (L)
Convex Shape Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell Classic PRO 500

Size: 5.0" Blade: 50mm Weight: 27.5g
Size of Finger Hole: Regular (L)
Convex Shape Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell Classic PRO 600

Size: 6.0" Blade: 68mm Weight: 36.5g
Size of Finger Hole: Regular (L)
Convex Shape Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell Classic PRO 550

Size: 5.5" Blade: 50mm Weight: 27.5g
Size of Finger Hole: Regular (L)
Convex Shape Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



CLASSIC

SUPER ALLOY

Classic series is our standard model which made Joewell known throughout the world, and has been selling around the world for over 30 years.



Joewell 45

Size: 4.5" Blade: 42mm Weight: 28.0g
Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell 50

Size: 5.0" Blade: 48mm Weight: 32.0g
Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell 60

Size: 6.0" Blade: 65mm Weight: 41.0g
Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell 65

Size: 6.5" Blade: 69mm Weight: 45.5g
Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell 55

Size: 5.5" Blade: 53mm Weight: 36.5g
Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



Joewell 70

Size: 7.0" Blade: 82mm Weight: 50.0g
Size of Finger Hole: Regular (L)
The Standard JOEWELL Blade
Supreme Stainless Alloy
Precision Flat Screw
Removable Finger Rest



CRAFT

SUPER ALLOY

Polyhedral grip 3D handle fits your hand completely. KATANA blade provides powerful and sharp cutting performance.



Craft CR-610

Size: 6.1" Blade: 65mm Weight: 60.5g
Size of Finger Hole: Small
KATANA Blade,
Supreme Stainless Alloy,
Dry Bearing Screw System with Decorated Silver Plate,
Permanent Finger Rest



Craft CR-630

Size: 6.3" Blade: 70mm Weight: 63.0g
Size of Finger Hole: Small
KATANA Blade,
Supreme Stainless Alloy,
Dry Bearing Screw System with Decorated Silver Plate,
Permanent Finger Rest

Polyhedral Grip 3-Dimensional Handle

New Polyhedral Grip 3D Handle assists a comfortable hair cutting & handling scissors.



Polyhedral Grip fits each fingers.



3-Dimensional Handle




Design for Easy combing in the right hand while holding scissors

Dry Bearing Screw with Decorated Silver Plate

The dry bearing screw is applied to make smooth opening and closing operation. The solid lubricated pivot point contact and the dry bearing are made of resin. Optional Decorated Silver Plate can be changed.

KATANA Blade

Sword Shape Blade, Convex Pro Edge and Concave Shape on back of blades



KATANA Blade

Convex Edge: Create powerful & sharp cutting performance.
Sword Shape: Power is delivered to the point of the blade.
Concave Shape: Adjust the weight & balance of blades.



Z

SUPER ALLOY

Ergonomic handle with Small finger holes.



Joewell ZII-55CX

Size: 5.5" Blade: 57mm Weight: 38.0g
Size of Finger Hole: Small
Convex Shape Blade,
Supreme Stainless Alloy,
Thin Adjustable Screw,
Permanent Finger Rest



Joewell ZII-60CX

Size: 6.0" Blade: 66mm Weight: 41.0g
Size of Finger Hole: Small
Convex Shape Blade,
Supreme Stainless Alloy,
Thin Adjustable Screw,
Permanent Finger Rest



Joewell Z-55C

Size: 5.5" Blade: 57mm Weight: 38.0g
Size of Finger Hole: Small
The Standard JOEWELL Blade,
Supreme Stainless Alloy,
Thin Adjustable Screw,
Removable Finger Rest



Joewell Z-60C

Size: 6.0" Blade: 66mm Weight: 41.0g
Size of Finger Hole: Small
The Standard JOEWELL Blade,
Supreme Stainless Alloy,
Thin Adjustable Screw,
Removable Finger Rest



SDB - CURVED BAMBOO LEAF BLADE

SUPER ALLOY

Suitable for slide and dry cut. Easy to make convex and concave shape.



SDB-60R

Joewell SDB-58R

Size: 5.8" Blade: 60mm Weight: 48.0g
Size of Finger Hole: Regular (L)
Curved Bamboo Leaf Blade,
Supreme Stainless Alloy,
Thin Adjustable Screw,
Removable Finger Rest

Joewell SDB-60R

Size: 6.1" Blade: 66mm Weight: 66.0g
Size of Finger Hole: Regular (L)
Curved Bamboo Leaf Blade,
Supreme Stainless Alloy,
Thin Adjustable Screw,
Removable Finger Rest



JDB - BAMBOO LEAF BLADE

SUPER ALLOY

Suitable for slide and dry cut.



Joewell JDB-610F **NEW**

Size: 6.2" Blade: 70mm Weight: 61.5g
Size of Finger Hole: Small
Bamboo Leaf Blade
Supreme Stainless Alloy
Thin Adjustable Screw
Permanent Finger Rest





LEFT HANDED SCISSORS

SUPER ALLOY

Scissors exclusively for left handed.



Joewell FX-L55 (Left handed)

Size: 5.5" Blade: 54mm Weight: 44.0g
Size of Finger Hole: Regular (L), The Standard JOEWELL Blade,
Supreme Stainless Alloy, Thin Adjustable Screw, Removable Finger Rest



Joewell F LC-50 (Left handed)

Size: 5.0" Blade: 49mm Weight: 44.7g
Size of Finger Hole: Regular (L), The Standard Joewell Blade
Supreme Stainless Alloy, Precision Flat Screw, Removable Finger Rest

JOEWELL *f*



Joewell F LC-60 (Left handed)

Size: 6.0" Blade: 64.5mm Weight: 49.5g
Size of Finger Hole: Regular (L), The Standard Joewell Blade
Supreme Stainless Alloy, Precision Flat Screw, Removable Finger Rest

JOEWELL *f*



Joewell F LC-55 (Left handed)

Size: 5.5" Blade: 56.5mm Weight: 47.5g
Size of Finger Hole: Regular (L), The Standard Joewell Blade
Supreme Stainless Alloy, Precision Flat Screw, Removable Finger Rest

JOEWELL *f*



LEFT HANDED SCISSORS

SUPER ALLOY

Scissors exclusively for left handed.



Joewell LSF-65 (Left handed)

Size: 6.5" Blade: 74mm Weight: 63.0g
Size of Finger Hole: Small, Convex Shape Blade
Supreme Stainless Alloy, Thin Adjustable Screw, Permanent Finger Rest

Joewell LSF-70(Left handed)

Size: 7.0" Blade: 85mm Weight: 65.5g
Size of Finger Hole: Small, Convex Shape Blade
Supreme Stainless Alloy, Thin Adjustable Screw, Permanent Finger Rest

THINNING SCISSORS



Volume Control (P34 - P35)

Cut Ratio Less than 5% 15% 35%



SNT-40



E-30



HXT-30



E-40



HXT-40

BC-40 (P16)
FX-PRO40 (P20)



Texturizing (P36 - P39)

Cut Ratio 10-15% 15-20% 25-30% 40-50% 80% Cut & Thinning



JGC-24



HXG-20



HXG-17



HXG-14



JGC-12





E - THINNING

SUPER ALLOY

Best selling thinning scissors in Europe. E series is a basic thinner with symmetric handle.



Joewell E-30

30-tooth, Cut ratio: 15%
Size: 5.6" Blade: 61mm Weight: 44.0g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy, Precision Flat Screw,
Removable Finger Rest



Cut Ratio
15%



Joewell E-40

40-tooth, Cut ratio: 35%
Size: 5.6" Blade: 61mm Weight: 45.0g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy,
Precision Flat Screw,
Removable Finger Rest



Cut Ratio
35%



E30, E40,
HXT30, HXT40



HXT - CONVEX THINNING

SUPER ALLOY

HXT series is a convex thinner with good balance of weight and sharp cutting performance.



Joewell HXT-30

30-tooth, Cut Ratio about 15%
Size: 5.9" Blade: 62mm Weight: 54.5g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy
Thin Adjustable Screw
Removable Finger Rest



Cut Ratio
15%



Joewell HXT-40

40-tooth, Cut Ratio about 35%
Size: 5.9" Blade: 62mm Weight: 55.0g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy
Thin Adjustable Screw
Removable Finger Rest



Cut Ratio
35%



SUPREME SNT - VOLUME CONTROL

SUPER ALLOY

Thinner for the root of hair. Each thinning tooth cuts only one hair.


You can control volume of hair by times of cutting hair.



Cut the root of hair to reduce volume of hair.




Cut the middle of hair to make volume of hair.




Cut the tip of hair to adapt hair delicately.

Cut only one hair without damage because of a tiny groove on the tip of thinning tooth.



Enlarged photo of a hair and the tip of thinning blade.



Supreme SNT-40

40-tooth, Cut ratio: less than 5%
Size: 5.9" Blade: 60mm Weight: 52.0g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy
Dry Bearing Screw System
Removable Finger Rest

Cut Ratio
less than 5%





HXG - TEXTURIZING

SUPER ALLOY

Thinning scissors for texture adjustment. Because of flat teeth and extended gaps, hair is easily caught and scissors can be pulled easily when inserting blades vertically or diagonally.



Joewell HXG-20

20-tooth, Cut Ratio about 15-20%
Size: 5.9" Blade: 62mm Weight: 54.5g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy
Thin Adjustable Screw
Removable Finger Rest


Cut Ratio
15-20%

Joewell HXG-17

17-tooth, Cut Ratio about 25-30%
Size: 5.9" Blade: 62mm Weight: 54.5g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy
Thin Adjustable Screw
Removable Finger Rest

Cut Ratio
25-30%





JGC-24, JGC-12,
HXG-20, HXG-17, HXG-14



Joewell HXG-14

14-tooth, Cut Ratio 40-50%
Size: 5.9" Blade: 62mm Weight: 55.5g
Size of Finger Hole: Regular (L)
Supreme Stainless Alloy
Thin Adjustable Screw
Removable Finger Rest

Cut Ratio
40-50%



WET



DRY

DRY



HXG-20, HXG-17: Hair is easily caught, and scissors can be easily pulled even when inserting the scissors vertically or diagonally.




HXG-14: Making gradation



JGC - TEXTURIZING

SUPER ALLOY

Thinning scissors for texture adjustment. Because of flat teeth and extended gaps, hair is easily caught and scissors can be pulled easily when inserting blades vertically or diagonally.




Easy to create texture of hair.
Good for texturizing, volume out hair, and slicing.



Joewell JGC-24

24-tooth, Cut Ratio: 10-15%
Size: 6.3" Blade: 69mm Weight: 57.0g
Size of Finger Hole: Small
Supreme Stainless Alloy
Dry Bearing Screw System
Permanent Finger Rest

Cut Ratio
10-15%




JGC-24, JGC-12,
HXG-20, HXG-17, HXG-14



JGC - 80% CUT SCISSORS

SUPER ALLOY

80% "Cut & Thinning" scissors have both functions of cutting and thinning scissors. It is possible to cut short and make soft texture of hair ends at the same time.



WET



DRY



Joewell JGC-12

12-tooth, Cut Ratio: 80%
Size: 6.2" Blade: 67mm Weight 58.5g
Size of Finger Hole: Small
Supreme Stainless Alloy
Dry Bearing Screw System
Permanent Finger Rest

Cut Ratio
80%





TOKOSHA CO., LTD.
6-12-16 Honkomagome Bunkyo-ku, Tokyo 113-0021 JAPAN
TEL +81-3-3945-4011 FAX +81-3-3945-4012



www.jowell.co.jp